



FABRICS 2023

ROVO FABRICS


FABRIC GROUP 1

BONDAI




Character:

Fine crepe weave
100% polyester
350 g weight per linear meter
140 cm width
150000 rubs (Martindale)
(5 years warranty)
6 light fastness
4/5 fastness to rubbing
EN 1021-1/-2 flammability
CRIB5, BS 7176
medium hazard




0-46 grün



0-44 orange



0-43 rot



0-48 ocean




0-49 dunkelblau




0-38 blau



0-42 beige




0-51 braun



0-40 weinrot



0-60 anthrazit



0-41 grau



0-39 schwarz

ERA




Character:


100% polyester
320 g weight per linear meter
140 cm width
100000 rubs (Martindale)
(10 years warranty)
5 light fastness
4 (dry), 4 (wet) fastness to rubbing
EN 1021-1/-2 flammability
BS 7176 Low Hazard




1-15 gelb




1-22 grün



1-16 violett



1-17 dunkelblau



1-19 anthrazit



1-18 schwarz

ROVO FABRICS

FABRIC GROUP 1


SUPERO*




Character:

Fine crepe weave
100% Xtreme (polyester) Stretch
400 g weight per linear meter
140 cm width
100000 rubs (Martindale)
(5 years warranty)
6 light fastness
4 (dry), 4 (wet)
fastness to rubbing
EN 1021-1/-2 flammability

* Supero is available
in price group 3 in
these and further colors
in low-flammability
quality (M1/B1)
(=Trevira CS)




1-05 lobster




1-06 rot




1-74 aubergine




1-72 royalblau




1-07 ocean



1-73 dunkelblau



1-82 violett



1-81 grau



1-75 anthrazit




1-76 schwarz

SUPERO PLUS




Character:

Fine crepe weave
100% polyester - Trevira CS
420 g weight per linear meter
140 cm width
100000 rubs (Martindale),
(5 years warranty)
6 light fastness
4/5 fastness to rubbing
EN 1021-1/-2 flammability
C1, B1, M1, CRIB 5,
IMO A 652 (16)




1-30 rot-kariert




1-33 kiwi




1-32 royalblau




1-31 nachtblau



1-10 anthrazit



1-28 anthrazit-kariert



1-79 grau-melange



1-09 schwarz


FABRIC GROUP 2

PATINA




Character:


The white flecks scattered
across the surface are created
by the flax content
69% wool, 22% flax,
8% polyamide, 1% viscose
462 g weight per linear meter
140 cm width, 100000 rubs
(Martindale), (10 years warranty)
5 light fastness, 4 (dry),
3 (wet) fastness to rubbing
EN 1021-1/-2 flammability
BS 5852 flame retardant,
BS 7176



2-96 rot




2-90 dunkelblau




2-89 dunkelgrün



2-95 grau



2-88 braun



2-94 schwarz


FABRIC GROUP 2

ATLANTICO




Character:


Exciting contemporary fabric with textured surface
100% polyester
530 g weight per linear meter
150 cm width
110000 rubs (Martindale)
(10 years warranty)
5 light fastness
4-5 (dry), 4-5 (wet)
fastness to rubbing
EN 1021-1/-2 flammability




2-00 lachsrot




2-01 rot



2-03 anthrazit




2-04 schwarz



2-06 kiwi



2-07 violett



2-08 gletscher




2-11 blau

PRONTO

Character:

Imitation leather with light wrinkles
88% PVC, 12% PES/BW-fabrics,
680 g/m² weight, 140 cm width
- easy to clean
- soft supple
- good touch
- elastic
- abrasion resistant
- tear resistant
- urine and blood resistant
- resistant to disinfections

not available for all models




2-45 weiß



2-46 rot



2-47 blau



2-48 grau



2-49 schwarz

MICRO




Character:

Exciting contemporary fabric
Comfort-Microfiber
100% polyester
370 g weight per linear meter
150 cm width
30000 rubs (Marindale)
4 light fastness
4 (dry), 4 (wet)
fastness to rubbing
EN 1021 flammability



2-18 blu



2-19 grigio



2-28 nero

ROVO FABRICS

FABRIC GROUP 3

TALE

Mesh back or front full back upholstery, only for mod. R22



Character:

Handmade mesh, nature-inspired
mélange effect, soft touch.

Colour matched to Tonal.

99% post-consumer recycled polyester,
1% polyester

365 g weight per linear meter

140 cm width


100 000 rubs (Martindale),

6-8 Light fastness


4-5 (dry), 4-5 (wet)

fastness to rubbing


EN 1021-1/-2 Flammability




3-04 weißgrau




3-05 hellblau



3-06 grün



3-07 anthrazit



3-08 schwarz

TONAL

Seat cushion an back of full back upholstery, only for mod. R22



Character:

Dynamic and lively look with
melange effect und excellent
stretchability.

Colour matched to Tale.

99% post-consumer recycled
polyester, 1% polyester

315 g weight per linear meter

140 cm width


100 000 rubs (Martindale),

6-8 Light fastness


4-5 (dry), 4-5 (wet)

fastness to rubbing

EN 1021-1/-2 Flammability




3-37 orange




3-36 blau



3-35 beige



3-38 anthrazit



3-39 schwarz

FAME

Character:

Fine wool crepe weave

100% worsted wool

520 g weight per linear meter

140 cm width

50000 rubs (Martindale)

(5 years warranty)

5 light fastness


4-5 (dry), 4-5 (wet)

fastness to rubbing

EN 1021-1/-2 flammability

DIN 4102 B2, BS 5852,


NF-P-92503 M2



3-66 aubergine



3-60 rot




3-61 blau



3-62 dunkelblau



3-63 anthrazit



3-64 schwarz

ATLANTICO WELDED


Character:

Exciting contemporary fabric with
textured surface with foam upholstery PU


100% polyester, 771 g weight per linear meter,
138 cm width, 110000 rubs (Martindale), (10 years
warranty), 5 light fastness, 4-5 (dry), 4-5 (wet),
fastness to rubbing, EN 1021-1/-2 flammability



only available
for backside series
R12 and R16



3-41 rot



3-40 schwarz


FABRIC GROUP 3

GAYA




Character:


Wool fabric woven with simple and discrete structure
68% Cradura™, 18% zertifizierte Farmwolle, 14% redesigned Lenzing FRTM
543 g weight per linear meter
140 cm width
100000 rubs (Martindale)
6 light fastness
4-5 (dry), 4-5 (wet)
EN 1021-1/-2 flammability
BS 5852




3-80 rot




3-85 marineblau



3-87 dunkelblau



3-95 apfelgrün



3-89 grau




3-88 schwarz

CLIMATEX




Character:


Meshware
High Tech fiber
breathable and elastic
100% polyester
510 g weight per linear meter
160 cm width
70000 rubs (Martindale)
(10 years warranty)
5 light fastness
4-5 fastness to rubbing
EN 1021-1/-2 flammability




3-31 rot meliert



3-33 grau meliert



3-32 schwarz/grau meliert









3-34 schwarz

RUNNER



Character:

Meshware
High Tech fiber
breathable and elastic
100% polyester
510 g weight per linear meter
160 cm width
70000 rubs (Martindale)
(10 years warranty)
5 light fastness
4-5 fastness to rubbing
EN 1021-1/-2 flammability



ROVO FABRICS


FABRIC GROUP 4

EXTREMO




Character:


Very strong crepe weave for 24-h use
50% Polyamid, 33% virgin wool,
10% Visil, 7% Viskose
610 g weight per linear meter
140 cm width, 500000 rubs (Martindale)
(10 years warranty), 6 light fastness
4 (dry), 4 (wet), fastness to rubbing
EN 1021-1/-2 flammability
BS 7176 Medium Hazard,
BS 5852 fire retardant




4-70 rot



4-71 multi



4-72 blau




4-73 schwarz

SYNERGY



Character:


A soft handle wool blend fabric, featuring
exquisite fibre dyed shades and
sumptuous piece dyed solids
95% Virgin Wool, 5% polyamide
560 g weight per linear meter
140 cm width, 100000 rubs (Martindale)
(10 years warranty), 5 light fastness
4 (dry), 4 (wet) fastness to rubbing
EN 1021-1/-2 flammability
BS 7176, NF D 60-013



4-85 weinrot



4-84 blau



4-83 dunkelblau



4-81 grau



4-80 anthrazit



4-82 schwarz


FABRIC GROUP 5

COMFORT



Character:

Very comfortable micro fiber fabric
88% polyester, 12% polyurethan
385 g weight per linear meter
140 cm width, 100000 rubs
(Martindale), (10 years warranty)
5 light fastness, 4-5 (dry),
4-5 (wet) fastness to rubbing
EN 1021-1 flammability, BS 5852 P.1



5-90 schwarz

In further 100 colours
available.

SPECIAL LEATHER




5-04 schwarz

Black pigmented Nappa
leather for models XP, XL

SEMIANILIN LEATHER



Pigmented
Nappa leather.
Further colors
upon request.



5-00 rubinrot




5-03 cognac



5-60 aubergine



5-61 blau



5-63 braun



5-02 grau



5-64 schwarz



5-68 weiß


FABRIC GROUP 7

PREMIUM LEATHER



Finest Nappa Premium-leather
- natural
- soft touch
- breathable
- without any chemical solvents.

For models XZ.
(Further models upon request)



7-05 mittelbraun



7-03 schwarz




7-06 schwarz gelocht

SOLO


3D-WOVEN




Character:
3D-woven fabric upholstery
100% polyamide
40.000 rubs (Martindale)
4 light fastness
4-5 fastness to rubbing
Flame-retardant
DIN EN 1021




3-48 rot




3-47 blau



3-46 kiwi



3-49 grau



3-50 anthrazit



3-45 schwarz

SENSO




Character:
Imitation leather with light wrinkles
88% PVC, 12% PES/BW-fabrics,
670 g/m² weight, 140 cm width
150000 rubs (Martindale),
without AZO/FCKW/PCP/PCB/PCT
meets the REACH
- easy to clean
- soft supple
- good touch and elastic
- abrasion resistant
- tear resistant
- urine and blood resistant
- resistant to disinfections




3-78 rot




3-77 blau




3-76 kiwi



3-79 grau



3-75 schwarz




3-74 carbon

BUGGY


MESHWARE




Character:
Meshware
breathable and elastic
100% polyester
300 g/ m² weight
180 cm width
50000 rubs (Martindale)
5 light fastness
4-5 fastness to rubbing
EN 1021-1/-2 flammability




2-75 rosa




2-73 pink




2-79 hellblau



2-76 grün



2-74 weiß



2-77 grau



Völkle Bürostühle GmbH
Hohenholz 1 · 72290 Lossburg
Germany

Phone +49 (0) 74 46/182-0

Fax +49 (0) 74 46/182-160

info@rovo.de · www.rovo.de